



SAFETY DATA SHEET HYCOLIN ANTIVIRAL STAINLESS STEEL AND GLASS CLEANER

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name HYCOLIN ANTIVIRAL STAINLESS STEEL AND GLASS CLEANER

Product number 800-277-0607, 800-277-0703

Container size 750mL

UFI: JT2M-1H1N-7P77-8KJP

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Detergent. Disinfectant.

Uses advised against Not for Oral Consumption.

1.3. Details of the supplier of the safety data sheet

Supplier MIRIUS ™

A Coventry Group Company Woodhams Road, Siskin Drive, Coventry, England, CV3 4FX

www.mirius.com info@mirius.com

Coventry Chemicals (Ireland) Limited

4th Floor

8-34 Percy Place

Dublin 4 Ireland

+442476639739

Contact person For content of safety data sheet:, sds@mirius.com

1.4. Emergency telephone number

Emergency telephone +44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human

health and/or the environment)

National emergency telephone UK:

number In case of a medical emergency following exposure to a chemical call NHS Direct in England

or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24

Ireland: For information or to report a poisoning incident contact The National Poisons

Information Centre (01 8092166)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Not Classified

Health hazards Not Classified

HYCOLIN ANTIVIRAL STAINLESS STEEL AND GLASS CLEANER

Environmental hazards Not Classified

2.2. Label elements

Hazard statements NC Not Classified

Precautionary statements P102 Keep out of reach of children.

P101 If medical advice is needed, have product container or label at hand.

P264 Wash contaminated skin thoroughly after handling.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/ attention.
P501 Dispose of contents/ container in accordance with local regulations.

Biocide Labelling This product contains substances with biocidal properties., Read attached instructions before

use., Contains active substance: Alkyl (C12-16) dimethylbenzyl ammonium chloride

(ADBAC/BKC (C12-16)), 0.13g/100g

Detergent labelling < 5% disinfectants, < 5% non-ionic surfactants, < 5% perfumes

Supplementary precautionary P103 Read label before use.

statements P262 Do not get in eyes, on skin, or on clothing.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB. The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >0.1% published by the European Chemicals Agency (ECHA) under article 57 of the REACH regulation (as amended). This product is not classified as, nor contains substances classed as having endocrine disrupting characteristics at levels >0.1% by weight (according to Regulation (EU) 2018/605).

SECTION 3: Composition/information on ingredients

3.2. Mixtures

ACETIC ACID <1%

CAS number: 64-19-7 EC number: 200-580-7

Classification

Flam. Liq. 3 - H226 Skin Corr. 1A - H314 Eye Dam. 1 - H318

ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM

<1%

CHLORIDE (ADBAC/BKC (C12-16))

Classification

Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

HYCOLIN ANTIVIRAL STAINLESS STEEL AND GLASS CLEANER

Inhalation Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical

attention if any discomfort continues.

Ingestion Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse

mouth thoroughly with water. Get medical attention if any discomfort continues.

Skin contact Rinse immediately with plenty of water. Remove contaminated clothing. Get medical attention

if irritation persists after washing.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after

washing. Show this Safety Data Sheet to the medical personnel.

4.2. Most important symptoms and effects, both acute and delayed

General information The product is considered to be a low hazard under normal conditions of use.

Inhalation Abusive inhalation may cause irritation, remove to fresh air.

Ingestion Unlikely exposure route without abuse. Symptoms will include, Sickness, possible Irritation of

GI Tract. A soapy taste may be reported.

Skin contact Prolonged contact may cause redness, irritation and dry skin.

Eye contact May cause temporary eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

Foam, carbon dioxide or dry powder.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion

products

Thermal decomposition or combustion products may include the following substances: Oxides

of carbon. Toxic gases or vapours.

5.3. Advice for firefighters

Protective actions during

firefighting

Control run-off water by containing and keeping it out of sewers and watercourses.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8. In case of spills, beware of slippery floors and

surfaces.

6.2. Environmental precautions

Environmental precautions Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or

watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning upStop leak if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers.

Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains,

sewers or watercourses.

HYCOLIN ANTIVIRAL STAINLESS STEEL AND GLASS CLEANER

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health

hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Provide adequate ventilation. Avoid contact with skin and eyes.

Advice on general occupational hygiene

No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products. Wash at the end of each work shift

and before eating, smoking and using the toilet.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

ACETIC ACID

Short-term exposure limit (15-minute): WEL 20 ppm 50 mg/m³ Long-term exposure limit (8-hour TWA): WEL 10 ppm 25 mg/m³

WEL = Workplace Exposure Limit.

ACETIC ACID (CAS: 64-19-7)

DNEL Workers - Inhalation; Long term local effects: 25 mg/m³

Workers - Inhalation; Short term local effects: 25 mg/m³

General population - Inhalation; Long term local effects: 25 mg/m³ General population - Inhalation; Short term local effects: 25 mg/m³

PNEC - Fresh water; 3.058 mg/l

marine water; 0.306 mg/lIntermittent release; 30.58 mg/l

- STP; 85 mg/l

Sediment (Freshwater); 11.36 mg/kgSediment (Marinewater); 1.136 mg/kg

- Soil; 0.47 mg/kg

ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM CHLORIDE (ADBAC/BKC (C12-16)) (CAS: 68424-85-1)

DNEL Workers - Dermal; Long term systemic effects: 5.7 mg/kg/day

Workers - Inhalation; Long term systemic effects: 3.96 mg/m³

General population - Oral; Long term systemic effects: 3.4 mg/kg/day General population - Dermal; Long term systemic effects: 3.4 mg/kg/day General population - Inhalation; Long term systemic effects: 1.64 mg/m³

HYCOLIN ANTIVIRAL STAINLESS STEEL AND GLASS CLEANER

PNEC - Fresh water; 0.001 mg/l

Intermittent release, Fresh water; 0 mg/l

marine water; 0.001 mg/l

STP; 0.4 mg/l

Sediment (Freshwater); 12.27 mg/kg Sediment (Marinewater); 13.09 mg/kg

Soil; 7 mg/kg

8.2. Exposure controls

Protective equipment



Appropriate engineering

controls

Provide adequate ventilation.

Personal protection Data provided here is not a risk/COSHH assessment. It relates to the product as supplied

and should be used in developing a risk/COSHH assessment.

Eye/face protection No specific eye protection required during normal use.

Hand protection For users with sensitive skin, it is recommended that suitable protective gloves are worn.

Other skin and body

protection

Wear appropriate clothing to prevent repeated or prolonged skin contact. Use appropriate skin

cream to prevent drying of skin.

Hygiene measures Good personal hygiene procedures should be implemented. Wash hands and any other

contaminated areas of the body with soap and water before leaving the work site. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

Respiratory protection Respiratory protection not required.

Environmental exposure

controls

Avoid releasing into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Colourless.

Odour Apple.

Odour threshold No information available.

pH pH (concentrated solution): 2-4

Melting point Not determined.

Initial boiling point and range Not determined but expected to be >90 Degrees C.

Flash point This product does not sustain combustion.

Evaporation rate Not determined.

Evaporation factor No information available.

Flammability (solid, gas) Not flammable. This product does not sustain combustion.

Upper/lower flammability or

explosive limits

The product is not flammable or explosive.

HYCOLIN ANTIVIRAL STAINLESS STEEL AND GLASS CLEANER

Other flammability Not applicable.

Vapour pressure Not determined.

Vapour density Not determined.

Relative density 1.000 @ 20°C

Bulk density Not applicable for liquid.

Solubility(ies) Soluble in water.

Partition coefficient No information available.

Auto-ignition temperature Not determined.

Decomposition Temperature Not determined.

Viscosity Not determined. Water thin.

Explosive propertiesThere are no chemical groups present in the product that are associated with explosive

properties.

Explosive under the influence

of a flame

Not considered to be explosive.

Oxidising properties The mixture itself has not been tested but none of the ingredient substances meet the criteria

for classification as oxidising.

Comments Information given is applicable to the product as supplied.

9.2. Other information

Other information Not relevant.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Under normal storage conditions this product is stable. Strong alkalis. Mixing with hypochlorite

bleach based products will produce Toxic Chlorine gas.

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Mixing with Hypochorite Bleach based products will produce toxic Chlorine gas.

10.4. Conditions to avoid

Conditions to avoid Avoid exposure to high temperatures or direct sunlight. Avoid contact with Bleach and Alkaline

materials. Do not mix with other cleaning chemicals.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a

hazardous situation. Alkalis. Avoid contact with hypochlorite bleach products. Do not mix with

other household chemical products.

10.6. Hazardous decomposition products

Hazardous decomposition

Does not decompose when used and stored as recommended.

products

SECTION 11: Toxicological information

HYCOLIN ANTIVIRAL STAINLESS STEEL AND GLASS CLEANER

11.1. Information on toxicological effects

Toxicological effects Information given is based on data of the components and of similar products.

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC50) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Skin corrosion/irritation Not classified. Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

Respiratory sensitisation
Not sensitising. Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Not classified. Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitroDoes not contain any substances known to be mutagenic.

Carcinogenicity

Carcinogenicity Does not contain any substances known to be carcinogenic.

Reproductive toxicity

Reproductive toxicity - fertility Does not contain any substances known to be toxic to reproduction.

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure
Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazardBased on available data the classification criteria are not met.

General information This product has low toxicity.

Inhalation No specific health hazards known.

Ingestion May cause irritation. Symptoms following overexposure may include the following: Stomach

pain. Nausea, vomiting. Diarrhoea.

Skin contact Skin irritation should not occur when used as recommended. Repeated exposure may cause

skin dryness or cracking.

Eye contact May cause temporary eye irritation.

11.2 Information on other

hazards

properties

11.2.1. Endocrine disrupting This product is not classified as, nor contains substances classed as having endocrine

disrupting characteristics at levels >0.1% by weight (according to Regulation (EU) 2018/605).

HYCOLIN ANTIVIRAL STAINLESS STEEL AND GLASS CLEANER

11.2.2 Other information None known

Toxicological information on ingredients.

ACETIC ACID

Acute toxicity - oral

Acute toxicity oral (LD₅o

3,310.0

mg/kg)

Species Rat

Notes (oral LD₅₀) REACH dossier information.

ATE oral (mg/kg) 3,310.0

Acute toxicity - inhalation

Acute toxicity inhalation

(LC₅₀ gases ppmV)

16,000.0

Species Rat

Notes (inhalation LC50) REACH dossier information.

Skin corrosion/irritation

Skin corrosion/irritation This substance has specific concentration limits. Causes severe burns. 1B - 25% <

C < 90% 1A - C > 90% Causes skin irritation. 10% < C < 25% REACH dossier

information.

Serious eye damage/irritation

Serious eye

damage/irritation

Causes serious eye irritation. 10% < C < 25% REACH dossier information.

Respiratory sensitisation

Respiratory sensitisation No information available. REACH dossier information.

Skin sensitisation

Skin sensitisation Data lacking. REACH dossier information.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met. REACH dossier

information.

Genotoxicity - in vivo This substance has no evidence of mutagenic properties. REACH dossier

information.

Carcinogenicity

Carcinogenicity REACH dossier information. Based on available data the classification criteria are

not met.

Reproductive toxicity

Reproductive toxicity -

Data lacking. REACH dossier information.

fertility

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

HYCOLIN ANTIVIRAL STAINLESS STEEL AND GLASS CLEANER

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure. REACH dossier information.

ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM CHLORIDE (ADBAC/BKC (C12-16))

Acute toxicity - oral

Acute toxicity oral (LD₅o

397.5

mg/kg)

Species Rat

ATE oral (mg/kg) 397.5

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 3,412.5

mg/kg)

Species Rabbit

ATE dermal (mg/kg) 3,412.5

Skin corrosion/irritation

Skin corrosion/irritation Corrosive to skin.

Serious eye damage/irritation

Serious eye

damage/irritation

Causes serious eye damage.

Respiratory sensitisation

Respiratory sensitisation Not sensitising.

Skin sensitisation

Skin sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro This substance has no evidence of mutagenic properties.

Carcinogenicity

Carcinogenicity Not classified.

Reproductive toxicity

Reproductive toxicity -

Not classified.

fertility

Specific target organ toxicity - single exposure

STOT - single exposure Not classified. Swallowing concentrated chemical may cause severe internal injury.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard Not classified.

SECTION 12: Ecological information

There are no data on the ecotoxicity of this product. Not regarded as dangerous for the **Ecotoxicity**

environment.

HYCOLIN ANTIVIRAL STAINLESS STEEL AND GLASS CLEANER

12.1. Toxicity

Toxicity Not considered toxic to fish.

Ecological information on ingredients.

ACETIC ACID

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: >300.8 mg/l, Oncorhynchus mykiss (Rainbow trout)

REACH dossier information.

Acute toxicity - aquatic

EC₅₀, 48 hours: 300.82 mg/l, Daphnia magna

invertebrates

REACH dossier information.

ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM CHLORIDE (ADBAC/BKC (C12-16))

Acute aquatic toxicity

LE(C)₅₀ $0.01 < L(E)C50 \le 0.1$

M factor (Acute) 10

Acute toxicity - fish LC₅₀, 96 hours: 0.515 mg/l, Lepomis macrochirus (Bluegill)

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hours: 0.016 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

LC₅₀, : 0.03 mg/l,

Chronic aquatic toxicity

NOEC 0.001 < NOEC ≤ 0.01

Degradability Rapidly degradable

M factor (Chronic) 1

Chronic toxicity - fish early NOEC, : 0.32 mg/l,

life stage

Chronic toxicity - aquatic NOEC, : 0.025 mg/l, Daphnia magna invertebrates NOEC, : 0.009 mg/l, Freshwater algae

12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product. The surfactant(s) contained in this

product complies(comply) with the biodegradability criteria as laid down in The Detergents

Regulations (as amended).

Ecological information on ingredients.

ACETIC ACID

Phototransformation - Half-life: 26.7 days

REACH dossier information.

Biodegradation The substance is readily biodegradable.

- Degradation 96 %: 20 days

ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM CHLORIDE (ADBAC/BKC (C12-16))

HYCOLIN ANTIVIRAL STAINLESS STEEL AND GLASS CLEANER

Phototransformation REACH dossier information.

Air - Half-life: 0.25 days

Stability (hydrolysis) REACH dossier information.

- Half-life: 1 year @ 20°C

Biodegradation - 63-95%: 28 days

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient No information available.

Ecological information on ingredients.

ACETIC ACID

Bioaccumulative potential BCF: 3.16, The product is not bioaccumulating.

Partition coefficient log Pow: -0.17

ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM CHLORIDE (ADBAC/BKC (C12-16))

Bioaccumulative potential Low potential for bioaccumulation.

Partition coefficient log Kow: 2.75

12.4. Mobility in soil

Mobility The product is water-soluble and may spread in water systems.

Ecological information on ingredients.

ACETIC ACID

Adsorption/desorption

- Koc: ~ 1.153l/kg @ °F

coefficient

Henry's law constant 0.21 Pa m³/mol @ 25°C

ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM CHLORIDE (ADBAC/BKC (C12-16))

Henry's law constant 0 Pa m³/mol @ 20°C

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This product does not contain any substances classified as PBT or vPvB.

assessment

12.6. Endocrine disrupting

properties

Endocrine disrupting

This product is not classified as, nor contains substances classed as having endocrine

properties disrupting characteristics at levels >0.1% by weight (according to Regulation (EU) 2018/605).

Ecological information on ingredients.

ACETIC ACID

Results of PBT and vPvB This substance is not classified as PBT or vPvB according to current UK criteria.

assessment

HYCOLIN ANTIVIRAL STAINLESS STEEL AND GLASS CLEANER

ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM CHLORIDE (ADBAC/BKC (C12-16))

Results of PBT and vPvB This substance is not classified as PBT or vPvB according to current UK criteria. assessment

12.7. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information The generation of waste should be minimised or avoided wherever possible.

Disposal methods The packaging must be empty (drop-free when inverted). Wash with plenty of water. Waste

packaging should be collected for reuse or recycling. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk

Not applicable.

according to IMO

instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

HYCOLIN ANTIVIRAL STAINLESS STEEL AND GLASS CLEANER

National regulations The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as

amended).

EH40/2005 Workplace exposure limits.

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 (SI 2020 No. 1577) (as

amended).

The Product Safety and Metrology etc. (Amendment etc.) (EU Exit) Regulations 2019 (SI

2019 No. 696) (as amended).

The Detergents Regulations 2010 (SI 2010 No. 740) (as amended). The Detergents (Amendment) (EU Exit) Regulations 2019 (SI 2019 No. 612) (as amended). The Detergents (Safeguarding) (Amendment) (EU Exit) Regulations 2019 (SI 2019 No. 671) (as amended). The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use)

(Amendment etc.) (EU Exit) Regulations 2019 (as amended).

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009

No. 716).

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment

Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].

Health and Safety at Work etc. Act 1974 (as amended).

EU legislation European Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substances and mixtures (as amended)

European Regulation (EC) No 1907/2006 - Registration, Evaluation, Authorisation and

Restriction of Chemicals (REACH) (as amended)

European Regulation (EC) No 648/2004 on detergents (as amended)

European Regulation (EU) No 528/2012 concerning the making available on the market and

use of biocidal products (BPR) as amended

Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) 1907/2006.

Guidance Workplace Exposure Limits EH40.

COSHH Essentials.

ECHA Guidance on the Application of the CLP Criteria. ECHA Guidance on the compilation of safety data sheets.

15.2. Chemical safety assessment

Currently we do not have information from our suppliers about this.

SECTION 16: Other information

Abbreviations and acronyms PBT: Persistent, Bioaccumulative and Toxic substance. **used in the safety data sheet** vPvB: Very Persistent and Very Bioaccumulative.

Revision comments Review of SDS with no change of classification. NOTE: Lines within the margin indicate

significant changes from the previous revision. Note: Finished product SDS take their revision history from the parent bulk liquid SDS. The revision data will show that of the parent liquid.

Revision date 13/07/2023

Revision 5

Supersedes date 14/12/2021

SDS number 22252

HYCOLIN ANTIVIRAL STAINLESS STEEL AND GLASS CLEANER

Hazard statements in full H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.
----- END OF SDS -----