



A Coventry Group Company

SAFETY DATA SHEET HYCOLIN ANTIVIRAL QUICK SPRAY SURFACE CLEANER

SECTION 1: Identification of the	ne substance/mixture and of the company/undertaking			
1.1. Product identifier				
Product name	HYCOLIN ANTIVIRAL QUICK SPRAY SURFACE CLEANER			
Product number	800-277-0610			
Container size	300mL			
1.2. Relevant identified uses o	f the substance or mixture and uses advised against			
Identified uses	Disinfectant.			
1.3. Details of the supplier of the safety data sheet				
Supplier	MIRIUS ™ A Coventry Group Company Woodhams Road, Siskin Drive, Coventry, England, CV3 4FX www.mirius.com info@mirius.com +442476639739			
1.4. Emergency telephone nur	nber			
SECTION 2: Hazards identification	ation			
2.1. Classification of the subst	ance or mixture			
Classification (EC 1272/2008)				
Physical hazards	Aerosol 1 - H222, H229			
Health hazards	Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319			
Environmental hazards	Not Classified			
Classification (67/548/EEC or 1999/45/EC)	-			
2.2. Label elements				
Hazard pictograms				
Signal word	Danger			
Hazard statements	H222 Extremely flammable aerosol. H229 Pressurised container: may burst if heated. H302 Harmful if swallowed. H315 Causes skin irritation.			

H319 Causes serious eye irritation.

Precautionary statements	 P102 Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P251 Do not pierce or burn, even after use. P301+P312 IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/ attention. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
Supplementary precautionary statements	 P211 Do not spray on an open flame or other ignition source. P264 Wash contaminated skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P321 Specific treatment (see medical advice on this label). P330 Rinse mouth. P332+P313 If skin irritation occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse. P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

SECTION 3: Composition/information on ingredients			
3.2. Mixtures			
BUTANE		30-60%	
CAS number: 106-97-8	EC number: 203-448-7		
Classification	Classificatio	on (67/548/EEC or 1999/45/EC)	
Flam. Gas 1 - H220	F+;R12	``´´	
Press. Gas			
ETHANOL		10-30%	
CAS number: 64-17-5	EC number: 200-578-6	REACH registration number: 01-	
		2119457610-43-XXXX	
Classification			
Flam. Liq. 2 - H225			
Eye Irrit. 2 - H319			

ALKYL (C12-16) DIMETHYLI CHLORIDE (ADBAC/BKC (C		<1%		
CAS number: 68424-85-1	EC number: 270-325-2	REACH registration number: 01- 2119965180-41-XXXX		
M factor (Acute) = 10	M factor (Chronic) = 1			
Classification				
Acute Tox. 4 - H302				
Skin Corr. 1B - H314				
Eye Dam. 1 - H318				
Aquatic Acute 1 - H400				
Aquatic Chronic 1 - H410				
The Full Text for all R-Phrases	s and Hazard Statements are Displayed in S	Section 16.		
SECTION 4: First aid measure	9S			
1.1. Description of first aid me	asures			
General information	Move affected person to fresh air at once.	Get medical attention if any discomfort continues.		
nhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention if any discomfort continues.			
ngestion	Rinse mouth thoroughly with water. Do not induce vomiting. Get medical attention if any discomfort continues.			
Skin contact	Wash skin thoroughly with soap and water. Get medical attention if any discomfort continu			
Eye contact	Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.			
4.2. Most important symptoms	and effects, both acute and delayed			
ngestion	Harmful if swallowed.			
Skin contact	Causes skin irritation.			
Eye contact	Causes serious eye irritation.			
1.3. Indication of any immedia	te medical attention and special treatment n	eeded		
SECTION 5: Firefighting meas	sures			
5.1. Extinguishing media				
Suitable extinguishing media	Extinguish with the following media: Powd fog or mist.	er. Dry chemicals, sand, dolomite etc. Water spray		
Jnsuitable extinguishing nedia	Do not use water jet as an extinguisher, as	s this will spread the fire.		
5.2. Special hazards arising fro	om the substance or mixture			
Specific hazards		when heated, due to excessive pressure build-up. lled from a fire at high speed.		

Protective actions during firefighting	Containers can burst violently or explode when heated, due to excessive pressure build-up. Containers close to fire should be removed or cooled with water. Use water to keep fire exposed containers cool and disperse vapours.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate area. Eliminate all ignition sources if safe to do so. Provide adequate ventilation.			
	Wear protective clothing as described in Section 8 of this safety data sheet.			

6.2. Environmental precautions

Environmental precautions Avoid the spillage or runoff entering drains, sewers or watercourses.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Large Spillages: Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Absorb spillage with non-combustible, absorbent material. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Do not allow material to enter confined spaces, due to the risk of explosion. If leakage cannot be stopped, evacuate area. Small Spillages: Leave small quantities to evaporate, if safe to do so. If the product is soluble in water, dilute the spillage with water and mop it up.

6.4. Reference to other sections

Reference to other sections For waste disposal, see Section 13. For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling Usage precautions Keep away from heat, sparks and open flame. Avoid spilling. Avoid contact with skin and eyes. Provide adequate ventilation. Avoid inhalation of vapours. Use approved respirator if air contamination is above an acceptable level. Do not pierce or burn, even after use. Empty containers or liners may retain some product residues and hence be potentially hazardous.

7.2. Conditions for safe storage, including any incompatibilities

 Storage precautions
 Aerosol cans: Must not be exposed to direct sunlight or temperatures above 50°C. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from food, drink and animal feeding stuffs. Store in tightly-closed, original container in a well-ventilated place.

7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

BUTANE

Long-term exposure limit (8-hour TWA): WEL 600 ppm 1450 mg/m³ Short-term exposure limit (15-minute): WEL 750 ppm 1810 mg/m³

ETHANOL

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m³ WEL = Workplace Exposure Limit.

Ingredient comments	WEL = Workplace Exposure Limits			
	ETHANOL (CAS: 64-17-5)			
DNEL	Workers - Inhalation; Long term systemic effects: 950 mg/m ³ Workers - Inhalation; Short term local effects: 1900 mg/m ³ Workers - Dermal; Long term systemic effects: 343 mg/kg General population - Inhalation; Long term systemic effects: 114 mg/m ³ General population - Inhalation; Short term local effects: 950 mg/m ³ General population - Dermal; Long term systemic effects: 206 mg/kg/day General population - Oral; Long term systemic effects: 87 mg/kg/day			
PNEC	 Fresh water; 0.96 mg/l marine water; 0.79 mg/l Intermittent release; 2.75 mg/l STP; 580 mg/l Sediment (Freshwater); 3.6 mg/kg Sediment (Marinewater); 2.9 mg/kg Soil; 0.63 mg/kg 			
ALKYL (C12-1	6) DIMETHYLBENZYL AMMONIUM CHLORIDE (ADBAC/BKC (C12-16)) (CAS: 68424-85-1)			
DNEL	Workers - Dermal; Long term systemic effects: 5.7 mg/kg/day Workers - Inhalation; Long term systemic effects: 3.96 mg/m ³ General population - Oral; Long term systemic effects: 3.4 mg/kg/day General population - Dermal; Long term systemic effects: 3.4 mg/kg/day General population - Inhalation; Long term systemic effects: 1.64 mg/m ³			
PNEC	- Fresh water; 0.001 mg/l Intermittent release, Fresh water; 0 mg/l marine water; 0.001 mg/l STP; 0.4 mg/l Sediment (Freshwater); 12.27 mg/kg Sediment (Marinewater); 13.09 mg/kg Soil; 7 mg/kg			
8.2. Exposure controls				
Protective equipment				
Appropriate engineering controls	Provide adequate general and local exhaust ventilation.			
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.			
Hand protection	No specific requirements are anticipated under normal conditions of use.			
Other skin and body protection	Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.			

Hygiene measures	Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.
Respiratory protection	No specific recommendations. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties Appearance Aerosol. Colour Not applicable. Odour Characteristic. pН pH (concentrated solution): 8 +/- 1 Initial boiling point and range Not determined. Flash point Extremely flammable aerosol. **Evaporation rate** Not determined. Flammability (solid, gas) Extremely flammable aerosol. Upper/lower flammability or No information available. explosive limits 4 mbar @ 25°C Vapour pressure Vapour density Not determined. Relative density Not determined. Solubility(ies) No information available. Partition coefficient No information available. Auto-ignition temperature Not determined. **Decomposition Temperature** Not determined. Not determined. Viscosity **Explosive properties** No information available. Explosive under the influence No information available. of a flame Oxidising properties Does not meet the criteria for classification as oxidising. Comments Information given is applicable to the product as supplied. 9.2. Other information SECTION 10: Stability and reactivity 10.1. Reactivity Reactivity Stable under the prescribed storage conditions. 10.2. Chemical stability Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Under normal conditions of storage and use, no hazardous reactions will occur.				
10.4. Conditions to avoid					
Conditions to avoid	Avoid heat, flames and other sources of ignition. Avoid contact with the following materials: Strong oxidising agents. Strong alkalis. Strong mineral acids.				
10.5. Incompatible materials					
Materials to avoid	Oxidising materials.				
10.6. Hazardous decomposition	on products				
Hazardous decomposition products	Fire creates: Vapours/gases/fumes of: Carbon monoxide (CO). Carbon dioxide (CO2). Nitrous gases (NOx).				
SECTION 11: Toxicological in	formation				
11.1. Information on toxicologi	cal effects				
Toxicological effects	Information given is based on data of the components and of similar products.				
Other health effects	Does not contain any substances known to be carcinogenic.				
Acute toxicity - oral Notes (oral LD₅o)	Harmful if swallowed.				
ATE oral (mg/kg)	500.0				
Acute toxicity - dermal Notes (dermal LD∞)	Based on available data the classification criteria are not met.				
Acute toxicity - inhalation Notes (inhalation LC50)	Based on available data the classification criteria are not met.				
Skin corrosion/irritation Skin corrosion/irritation	Causes skin irritation.				
Serious eye damage/irritation Serious eye damage/irritation	Causes serious eye irritation.				
Respiratory sensitisation Respiratory sensitisation	Not sensitising. Based on available data the classification criteria are not met.				
Skin sensitisation Skin sensitisation	Not classified. Based on available data the classification criteria are not met.				
Germ cell mutagenicity Genotoxicity - in vitro	Does not contain any substances known to be mutagenic.				
Carcinogenicity Carcinogenicity	Does not contain any substances known to be carcinogenic.				
Reproductive toxicity Reproductive toxicity - fertility	Does not contain any substances known to be toxic to reproduction.				
Specific target organ toxicity -	single exposure				
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.				
Specific target organ toxicity -					
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.				

Acute and chronic health hazards	Inhalation May cause respiratory system irritation. Prolonged and repeated contact with solvents over a long period may lead to permanent health problems. Prolonged or repeated exposure to vapours in high concentrations may cause the following adverse effects: Nausea, vomiting. Headache. Prolonged inhalation of high concentrations may damage respiratory system. SKIN CONTACT. Product has a defatting effect on skin. May cause skin irritation/eczema. EYE CONTACT. Irritating to eyes.			
Route of exposure	Inhalation			
SECTION 12: Ecological inform	nation			
Ecotoxicity	Not regarded as dangerous for the environment.			
12.1. Toxicity				
Toxicity	Not considered toxic to fish.			
12.2. Persistence and degrada	bility			
Persistence and degradability	No data available.			
12.3. Bioaccumulative potentia	<u>l</u>			
Partition coefficient	No information available.			
12.4. Mobility in soil				
Mobility	No data available.			
12.5. Results of PBT and vPvE	3 assessment			
Results of PBT and vPvB assessment	No data available.			
12.6. Other adverse effects				
Other adverse effects	None known.			
SECTION 13: Disposal consid	erations			
13.1. Waste treatment method	S			
Disposal methods	Empty containers must not be punctured or incinerated because of the risk of an explosion. Empty containers or liners may retain some product residues and hence be potentially hazardous. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.			
SECTION 14: Transport inform	nation			
14.1. UN number				
UN No. (ADR/RID)	1950			
UN No. (IMDG)	1950			
UN No. (ICAO)	1950			
UN No. (ADN)	1950			
14.2. UN proper shipping name	e			
Proper shipping name (ADR/RID)	AEROSOLS			
Proper shipping name (IMDG)	AEROSOLS			

Proper	shinning	name	AEROSOLS
FIOPEL	SIIIPPIIIY	IIaIIIE (AERUSULS

Proper shipping name (ADN)	AEROSOLS
Proper shipping name (ADN)	AERUSULS

14.3.	Transport hazard class(es)	

ADR/RID class	2.1
ADR/RID classification code	5F
ADR/RID label	2.1
IMDG class	2.1
ICAO class/division	2.1
ADN class	2.1

Transport labels



14.4. Packing group		
ADR/RID packing group	None	
IMDG packing group	None	
ICAO packing group	None	
ADN packing group	None	

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

EmS	F-D, S-U
ADR transport category	2
Tunnel restriction code	(D)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		
National regulations	The Aerosol Dispensers Regulations 2009 (SI 2009 No. 2824). Control of Substances Hazardous to Health Regulations 2002 (as amended). EH40/2005 Workplace exposure limits.	
EU legislation	Commission Regulation (EU) No 2015/830 of 28 May 2015. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).	
Guidance	Workplace Exposure Limits EH40.	

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information Abbreviations and acronyms ADR: European Agreement concerning the International Carriage of Dangerous Goods by used in the safety data sheet Road. CAS: Chemical Abstracts Service. DNEL: Derived No Effect Level. IMDG: International Maritime Dangerous Goods. PBT: Persistent, Bioaccumulative and Toxic substance. PNEC: Predicted No Effect Concentration. SVHC: Substances of Very High Concern. vPvB: Very Persistent and Very Bioaccumulative. **Revision date** 26/06/2020 Revision 1 SDS number 22255 Hazard statements in full H220 Extremely flammable gas. H222 Extremely flammable aerosol. H225 Highly flammable liquid and vapour. H229 Pressurised container: may burst if heated. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.