



SAFETY DATA SHEET

10L SUPER PROFESSIONAL FABRIC SOFTENER L6

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name 10L SUPER PROFESSIONAL FABRIC SOFTENER L6
Product number 800-249-0006 L6

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Detergent. Fabric conditioner.
Uses advised against Not for Oral Consumption. Do not use for personal cleansing. Use only for intended applications.

1.3. Details of the supplier of the safety data sheet

Supplier Mirius™
 A Coventry Group Company
 Woodhams Road
 Siskin Drive
 Coventry
 CV3 4FX

 Coventry Chemicals (Ireland) Limited
 4th Floor
 8-34 Percy Place
 Dublin 4
 Ireland
 Tel: +44 (0) 02476 639 739
 Fax: +44 (0) 02476 639 717
 Email: sales@mirius.com

Contact person For content of safety data sheet., sds@mirius.com

1.4. Emergency telephone number

Emergency telephone +44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human health and/or the environment)

National emergency telephone number

UK:
 In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24
 Ireland: For information or to report a poisoning incident contact The National Poisons Information Centre (01 8092166)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Not Classified
Health hazards Not Classified

10L SUPER PROFESSIONAL FABRIC SOFTENER L6

Environmental hazards Not Classified

2.2. Label elements

Hazard statements NC Not Classified

Precautionary statements P101 If medical advice is needed, have product container or label at hand.
 P102 Keep out of reach of children.
 P262 Do not get in eyes, on skin, or on clothing.
 P264 Wash contaminated skin thoroughly after handling.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313 If eye irritation persists: Get medical advice/ attention.
 P501 Dispose of contents/ container in accordance with local regulations.

Detergent labelling < 5% cationic surfactants, < 5% perfumes, Contains 2-Bromo-2-nitropropane-1, 3-diol

Supplementary precautionary statements P103 Read label before use.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB. The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >0.1% published by the European Chemicals Agency (ECHA) under article 57 of the REACH regulation (as amended). This product is not classified as, nor contains substances classed as having endocrine disrupting characteristics at levels >0.1% by weight (according to Regulation (EU) 2018/605).

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	1-5%
--	-------------

CAS number: 1335202-95-3 EC number: 931-216-1

Classification

Skin Irrit. 2 - H315

Eye Irrit. 2 - H319

PROPAN-2-OL

<1%

CAS number: 67-63-0 EC number: 200-661-7

Classification

Flam. Liq. 2 - H225

Eye Irrit. 2 - H319

STOT SE 3 - H336

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

Ingestion Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.

10L SUPER PROFESSIONAL FABRIC SOFTENER L6

Skin contact Rinse immediately with plenty of water. Remove contaminated clothing. Get medical attention if irritation persists after washing.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Show this Safety Data Sheet to the medical personnel.

4.2. Most important symptoms and effects, both acute and delayed

General information The product is considered to be a low hazard under normal conditions of use.

Inhalation Abusive inhalation may cause irritation, remove to fresh air.

Ingestion Unlikely exposure route without abuse. Symptoms will include, Sickness, possible Irritation of GI Tract. A soapy taste may be reported.

Skin contact Prolonged contact may cause redness, irritation and dry skin.

Eye contact May cause temporary eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder.

5.2. Special hazards arising from the substance or mixture

Specific hazards The product is not flammable.

Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapours.

5.3. Advice for firefighters

Protective actions during firefighting Control run-off water by containing and keeping it out of sewers and watercourses.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8. In case of spills, beware of slippery floors and surfaces.

6.2. Environmental precautions

Environmental precautions Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.4. Reference to other sections

10L SUPER PROFESSIONAL FABRIC SOFTENER L6

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Provide adequate ventilation. Avoid contact with skin and eyes. Do not mix with other chemicals or detergents.

Advice on general occupational hygiene No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products. Wash at the end of each work shift and before eating, smoking and using the toilet.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

PROPAN-2-OL

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m³

Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m³

WEL = Workplace Exposure Limit.

Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized (CAS: 1335202-95-3)

DNEL

- Workers - Inhalation; Long term systemic effects: 44 mg/m³
- Workers - Dermal; Long term systemic effects: 312.5 mg/kg/day
- General population - Inhalation; Long term systemic effects: 13 mg/m³
- General population - Dermal; Long term systemic effects: 187.5 mg/kg/day
- General population - Oral; Long term systemic effects: 7.5 mg/kg/day

PNEC

- Fresh water; 0.002 mg/l
- marine water; 0.0 mg/l
- Intermittent release; 0.019 mg/l
- STP; 2.96 mg/l
- Sediment (Freshwater); 0.58 mg/kg
- Sediment (Marinewater); 0.058 mg/kg
- Soil; 0.115 mg/kg

PROPAN-2-OL (CAS: 67-63-0)

DNEL

- Workers - Inhalation; Long term systemic effects: 500 mg/m³
- Workers - Dermal; Long term systemic effects: 888 mg/kg
- General population - Inhalation; Long term systemic effects: 89 mg/m³
- General population - Dermal; Long term systemic effects: 319 mg/kg
- General population - Oral; Long term systemic effects: 26 mg/kg

10L SUPER PROFESSIONAL FABRIC SOFTENER L6

PNEC	<ul style="list-style-type: none"> - Fresh water; 140.9 mg/l - marine water; 140.9 mg/l - Intermittent release; 140.9 mg/l - STP; 2251 mg/l - Sediment (Freshwater); 552 mg/kg - Sediment (Marinewater); 552 mg/kg - Soil; 28 mg/kg
-------------	--

BRNOPOL (INN) (CAS: 52-51-7)

DNEL	<p>Workers - Inhalation; Long term systemic effects: 4.1 mg/m³</p> <p>Workers - Inhalation; Short term systemic effects: 12.3 mg/m³</p> <p>Workers - Inhalation; Long term local effects: 4.2 mg/m³</p> <p>Workers - Inhalation; Short term local effects: 4.2 mg/m³</p> <p>Workers - Dermal; Long term systemic effects: 2.3 mg/kg/day</p> <p>Workers - Dermal; Short term systemic effects: 7 mg/kg/day</p> <p>Workers - Dermal; Long term local effects: 0.013 mg/cm²</p> <p>Workers - Dermal; Short term local effects: 0.013 mg/cm²</p> <p>General population - Inhalation; Long term systemic effects: 1.2 mg/m³</p> <p>General population - Inhalation; Short term systemic effects: 3.7 mg/m³</p> <p>General population - Inhalation; Long term local effects: 1.3 mg/m³</p> <p>General population - Inhalation; Short term local effects: 1.3 mg/m³</p> <p>General population - Dermal; Long term systemic effects: 1.4 mg/kg/day</p> <p>General population - Dermal; Short term systemic effects: 4.2 mg/kg/day</p> <p>General population - Dermal; Long term local effects: 0.008 mg/cm²</p> <p>General population - Dermal; Short term local effects: 0.008 mg/cm²</p> <p>General population - Oral; Long term systemic effects: 0.35 mg/kg/day</p> <p>General population - Oral; Short term systemic effects: 1.1 mg/kg/day</p>
-------------	--

PNEC	<ul style="list-style-type: none"> - Fresh water; 0.01 mg/l - marine water; 0.008 mg/l - Intermittent release; 0.0025 mg/l - STP; 0.43 mg/l - Sediment (Freshwater); 0.041 mg/kg - Sediment (Marinewater); 0.00328 mg/kg - Soil; 0.5 mg/kg
-------------	---

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation.

Eye/face protection

No specific eye protection required during normal use.

Hand protection

For users with sensitive skin, it is recommended that suitable protective gloves are worn.

Other skin and body protection

Wear appropriate clothing to prevent repeated or prolonged skin contact. Use appropriate skin cream to prevent drying of skin.

Hygiene measures

Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Use appropriate skin cream to prevent drying of skin.

10L SUPER PROFESSIONAL FABRIC SOFTENER L6

Respiratory protection	Respiratory protection not required.
Environmental exposure controls	Avoid releasing into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Blue.
Odour	Characteristic of fragrance
Odour threshold	Not available.
pH	pH (concentrated solution): 2.5 - 5
Melting point	Not determined.
Initial boiling point and range	Not applicable.
Flash point	This product does not sustain combustion.
Evaporation rate	Not determined.
Evaporation factor	Not determined.
Flammability (solid, gas)	Not applicable. Not flammable. This product does not sustain combustion.
Upper/lower flammability or explosive limits	The product is not flammable or explosive.
Other flammability	Not applicable.
Vapour pressure	Not determined.
Vapour density	Not determined.
Relative density	0.990-1.010 @ 20°C
Bulk density	Not applicable for liquid.
Solubility(ies)	Soluble in water.
Partition coefficient	Not technically possible for a mixture.
Auto-ignition temperature	Not determined.
Decomposition Temperature	Not applicable.
Viscosity	Not determined.
Explosive properties	There are no chemical groups present in the product that are associated with explosive properties.
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	The mixture itself has not been tested but none of the ingredient substances meet the criteria for classification as oxidising.
Comments	Information given is applicable to the product as supplied.
9.2. Other information	
Other information	Not relevant.

10L SUPER PROFESSIONAL FABRIC SOFTENER L6

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Not applicable.

10.4. Conditions to avoid

Conditions to avoid Avoid exposure to high temperatures or direct sunlight.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition products Does not decompose when used and stored as recommended.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Information given is based on data of the components and of similar products.

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Skin corrosion/irritation Not classified. Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

Respiratory sensitisation Not sensitising. Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Not classified. Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Does not contain any substances known to be mutagenic.

Carcinogenicity

Carcinogenicity Does not contain any substances known to be carcinogenic.

Reproductive toxicity

Reproductive toxicity - fertility Does not contain any substances known to be toxic to reproduction.

10L SUPER PROFESSIONAL FABRIC SOFTENER L6

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

General information	This product has low toxicity.
Inhalation	No specific health hazards known.
Ingestion	May cause irritation. Symptoms following overexposure may include the following: Stomach pain. Nausea, vomiting. Diarrhoea.
Skin contact	Skin irritation should not occur when used as recommended. Repeated exposure may cause skin dryness or cracking.
Eye contact	May cause temporary eye irritation.

11.2 Information on other hazards

11.2.1. Endocrine disrupting properties This product is not classified as, nor contains substances classed as having endocrine disrupting characteristics at levels >0.1% by weight (according to Regulation (EU) 2018/605).

11.2.2 Other information None known

Toxicological information on ingredients.

Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 2,000.01

Species Rat

ATE oral (mg/kg) 2,000.01

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 2,000.01

Species Rat

ATE dermal (mg/kg) 2,000.01

Acute toxicity - inhalation

Notes (inhalation LC₅₀) No specific test data are available.

Skin corrosion/irritation

Skin corrosion/irritation Irritating to skin.

Serious eye damage/irritation

Serious eye damage/irritation Causes eye irritation.

PROPAN-2-OL

Carcinogenicity

IARC carcinogenicity IARC Group 3 Not classifiable as to its carcinogenicity to humans.

10L SUPER PROFESSIONAL FABRIC SOFTENER L6

SECTION 12: Ecological information

Ecotoxicity There are no data on the ecotoxicity of this product. Not regarded as dangerous for the environment.

12.1. Toxicity

Toxicity Not considered toxic to fish.

Ecological information on ingredients.

PROPAN-2-OL

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 10000 mg/l, Pimephales promelas (Fat-head Minnow)

Acute toxicity - aquatic invertebrates LC₅₀, 24 hours: 10000 mg/l, Daphnia magna

12.2. Persistence and degradability

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in The Detergents Regulations (as amended).

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not technically possible for a mixture.

Ecological information on ingredients.

PROPAN-2-OL

Partition coefficient log Pow: 0.05

12.4. Mobility in soil

Mobility The product is water-soluble and may spread in water systems.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Endocrine disrupting properties

Endocrine disrupting properties This product is not classified as, nor contains substances classed as having endocrine disrupting characteristics at levels >0.1% by weight (according to Regulation (EU) 2018/605).

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information The generation of waste should be minimised or avoided wherever possible.

Disposal methods The packaging must be empty (drop-free when inverted). Wash with plenty of water. Waste packaging should be collected for reuse or recycling. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Normal use solutions are expected to be flushed to sewers.

10L SUPER PROFESSIONAL FABRIC SOFTENER L6

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

**Annex II of MARPOL 73/78
and the IBC Code**

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 (SI 2020 No. 1577) (as amended).
The Product Safety and Metrology etc. (Amendment etc.) (EU Exit) Regulations 2019 (SI 2019 No. 696) (as amended).
The Detergents Regulations 2010 (SI 2010 No. 740) (as amended). The Detergents (Amendment) (EU Exit) Regulations 2019 (SI 2019 No. 612) (as amended). The Detergents (Safeguarding) (Amendment) (EU Exit) Regulations 2019 (SI 2019 No. 671) (as amended).
The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended).
The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 (as amended).
The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).
The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].

EU legislation

European Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (as amended)
European Regulation (EC) No 1907/2006 - Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended)
European Regulation (EC) No 648/2004 on detergents (as amended)
Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) 1907/2006.

10L SUPER PROFESSIONAL FABRIC SOFTENER L6

Guidance	<p>COSHH Essentials.</p> <p>ECHA Guidance on the compilation of safety data sheets.</p> <p>ECHA Guidance on the Application of the CLP Criteria.</p> <p>Workplace Exposure Limits EH40.</p>
-----------------	---

15.2. Chemical safety assessment

Currently we do not have information from our suppliers about this.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	<p>PBT: Persistent, Bioaccumulative and Toxic substance.</p> <p>vPvB: Very Persistent and Very Bioaccumulative.</p>
Revision comments	<p>NOTE: Lines within the margin indicate significant changes from the previous revision. Review with no changes to classification Note: Finished product SDS take their revision history from the parent bulk liquid SDS. The revision data will show that of the parent liquid.</p>
Revision date	19/07/2018
Revision	1
SDS number	21882
Hazard statements in full	<p>H225 Highly flammable liquid and vapour.</p> <p>H315 Causes skin irritation.</p> <p>H319 Causes serious eye irritation.</p> <p>H336 May cause drowsiness or dizziness.</p>

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

----- END OF SDS -----