



SAFETY DATA SHEET

750ml SUPER PROFESSIONAL DE-ICER A3

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	750ml SUPER PROFESSIONAL DE-ICER A3
Product number	800-272-0013 A3
Container size	750ML

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	De-icing fluid.
Uses advised against	Not for Oral Consumption.

1.3. Details of the supplier of the safety data sheet

Supplier	Mirius™ A Coventry Group Company Woodhams Road Siskin Drive Coventry CV3 4FX Coventry Chemicals (Ireland) Limited 4th Floor 8-34 Percy Place Dublin 4 Ireland Tel: +44 (0) 02476 639 739 Fax: +44 (0) 02476 639 717 Email: sales@mirius.com
----------	--

Contact person	For content of safety data sheet., sds@mirius.com
----------------	---

1.4. Emergency telephone number

Emergency telephone	+44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human health and/or the environment)
---------------------	---

National emergency telephone number	UK: In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 Ireland: For information or to report a poisoning incident contact The National Poisons Information Centre (01 8092166)
-------------------------------------	--

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards	Not Classified
Health hazards	Not Classified

750ml SUPER PROFESSIONAL DE-ICER A3

Environmental hazards Not Classified

2.2. Label elements

Hazard statements NC Not Classified

Precautionary statements P102 Keep out of reach of children.
 P262 Do not get in eyes, on skin, or on clothing.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313 If eye irritation persists: Get medical advice/ attention.
 P404 Store in a closed container.
 P501 Dispose of contents/ container in accordance with local regulations.

Detergent labelling 5 - < 15% aliphatic hydrocarbons, < 5% non-ionic surfactants, Contains 2-Bromo-2-nitropropane-1, 3-diol

Supplementary precautionary statements P101 If medical advice is needed, have product container or label at hand.
 P103 Read label before use.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB. This product is not classified as, nor contains substances classed as having endocrine disrupting characteristics at levels >0.1% by weight (according to Regulation (EU) 2018/605). The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >0.1% published by the European Chemicals Agency (ECHA) under article 57 of the REACH regulation (as amended).

SECTION 3: Composition/information on ingredients

3.2. Mixtures

ETHANE-1,2-DIOL	5-10%
CAS number: 107-21-1	EC number: 203-473-3
Classification	
Acute Tox. 4 - H302	
2-(2-BUTOXYETHOXY)ETHANOL	5-10%
CAS number: 112-34-5	EC number: 203-961-6
Classification	
Eye Irrit. 2 - H319	
ETHANOL	1-5%
CAS number: 64-17-5	EC number: 200-578-6
Classification	
Flam. Liq. 2 - H225	
Eye Irrit. 2 - H319	

750ml SUPER PROFESSIONAL DE-ICER A3

METHANOL	<1%
CAS number: 67-56-1	EC number: 200-659-6
Classification	Classification (67/548/EEC or 1999/45/EC)
Flam. Liq. 2 - H225	F;R11 T;R23/24/25,R39/23/24/25
Acute Tox. 3 - H301	
Acute Tox. 3 - H311	
Acute Tox. 3 - H331	
STOT SE 1 - H370	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
Skin contact	Rinse immediately with plenty of water. Remove contaminated clothing. Get medical attention if irritation persists after washing.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Show this Safety Data Sheet to the medical personnel.

4.2. Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Vapours may cause headache, fatigue, dizziness and nausea.
Ingestion	May cause drowsiness or dizziness.
Skin contact	Prolonged contact may cause redness, irritation and dry skin.
Eye contact	May cause temporary eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	No specific recommendations. If in doubt, get medical attention promptly.
-----------------------------	---

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder.
-------------------------------------	---

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products	Oxides of carbon.
--------------------------------------	-------------------

5.3. Advice for firefighters

Protective actions during firefighting	Control run-off water by containing and keeping it out of sewers and watercourses.
---	--

750ml SUPER PROFESSIONAL DE-ICER A3

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8. In case of spills, beware of slippery floors and surfaces.

6.2. Environmental precautions

Environmental precautions Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid spilling. Provide adequate ventilation. Do not use in confined spaces without adequate ventilation and/or respirator. Wear protective clothing as described in Section 8 of this safety data sheet. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Do not eat, drink or smoke when using this product. Pregnant or breastfeeding women should not work with this product if there is any risk of exposure.

Advice on general occupational hygiene No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products. Wash at the end of each work shift and before eating, smoking and using the toilet.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

ETHANE-1,2-DIOL

Long-term exposure limit (8-hour TWA): WEL 20 ppm 52 mg/m³ vapour

Short-term exposure limit (15-minute): WEL 40 ppm 104 mg/m³ vapour

Sk

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ particulate

Sk

2-(2-BUTOXYETHOXY)ETHANOL

Long-term exposure limit (8-hour TWA): WEL 10 ppm 67.5 mg/m³

Short-term exposure limit (15-minute): WEL 15 ppm 101.2 mg/m³

750ml SUPER PROFESSIONAL DE-ICER A3

ETHANOL

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m³

METHANOL

Long-term exposure limit (8-hour TWA): WEL 200 ppm 266 mg/m³

Short-term exposure limit (15-minute): WEL 250 ppm 333 mg/m³

Sk

WEL = Workplace Exposure Limit.

Sk = Can be absorbed through the skin.

ETHANE-1,2-DIOL (CAS: 107-21-1)

DNEL	Industry - Inhalation; Short term systemic effects: 35 mg/m ³
	Industry - Dermal; Long term : 106 mg/kg/day
	Consumer - Inhalation; Long term : 7 mg/m ³
	General population - Dermal; Long term systemic effects: 53 mg/kg/day
PNEC	- Fresh water; 10 mg/l
	- marine water; 1 mg/l
	- Soil; 1.53 mg/l
	- STP; 199.5 mg/l
	- Sediment (Freshwater); 37 mg/kg
	- Sediment (Marinewater); 3.7 mg/kg
	- Intermittent release; 10 mg/l

2-(2-BUTOXYETHOXY)ETHANOL (CAS: 112-34-5)

DNEL	Workers - Inhalation; Long term systemic effects: 67.5 mg/m ³
	Workers - Inhalation; Long term local effects: 67.5 mg/m ³
	Workers - Dermal; Long term systemic effects: 20 mg/kg/day
	General population - Inhalation; Long term systemic effects: 34 mg/m ³
	General population - Inhalation; Long term local effects: 34 mg/m ³
	General population - Inhalation; Short term local effects: 34 mg/m ³
	General population - Inhalation; Short term local effects: 50.6 mg/m ³
	General population - Dermal; Long term systemic effects: 10 mg/kg/day
PNEC	General population - Oral; Long term systemic effects: 1.25 mg/kg/day
	- Fresh water; 1 mg/l
	- marine water; 0.1 mg/l
	- Intermittent release; 3.9 mg/l
	- STP; 200 mg/l
	- Sediment (Freshwater); 4 mg/kg
	- Sediment (Marinewater); 0.4 mg/kg
	- Soil; 0.4 mg/kg

ETHANOL (CAS: 64-17-5)

DNEL	Workers - Inhalation; Long term systemic effects: 950 mg/m ³
	Workers - Inhalation; Short term local effects: 1900 mg/m ³
	Workers - Dermal; Long term systemic effects: 343 mg/kg
	General population - Inhalation; Long term systemic effects: 114 mg/m ³
	General population - Inhalation; Short term local effects: 950 mg/m ³
	General population - Dermal; Long term systemic effects: 206 mg/kg/day
	General population - Oral; Long term systemic effects: 87 mg/kg/day

750ml SUPER PROFESSIONAL DE-ICER A3

PNEC	- Fresh water; 0.96 mg/l
	- marine water; 0.79 mg/l
	- Intermittent release; 2.75 mg/l
	- STP; 580 mg/l
	- Sediment (Freshwater); 3.6 mg/kg
	- Sediment (Marinewater); 2.9 mg/kg
	- Soil; 0.63 mg/kg

METHANOL (CAS: 67-56-1)

DNEL	Workers - Inhalation; Long term systemic effects: 130 mg/m ³
	Workers - Inhalation; Long term local effects: 130 mg/m ³
	Workers - Inhalation; Short term systemic effects: 130 mg/m ³
	Workers - Inhalation; Short term local effects: 130 mg/m ³
	Workers - Dermal; Long term systemic effects: 20 mg/kg/day
	Workers - Dermal; Short term systemic effects: 20 mg/kg/day
	General population - Inhalation; Long term systemic effects: 26 mg/m ³
	General population - Inhalation; Short term systemic effects: 26 mg/m ³
	General population - Inhalation; Long term local effects: 26 mg/m ³
	General population - Inhalation; Short term local effects: 26 mg/m ³
	General population - Dermal; Long term systemic effects: 4 mg/kg/day
	General population - Dermal; Short term systemic effects: 4 mg/kg/day
	General population - Oral; Long term systemic effects: 4 mg/kg/day
	General population - Oral; Short term systemic effects: 4 mg/kg/day

PNEC	Fresh water; 20.8 mg/l
	marine water; 2.08 mg/l
	STP; 100 mg/l
	Sediment (Freshwater); 77 mg/kg
	Sediment (Marinewater); 7.7 mg/kg
	Soil; 100 mg/kg

BRONOPOL (INN) (CAS: 52-51-7)

DNEL	Workers - Inhalation; Long term systemic effects: 4.1 mg/m ³
	Workers - Inhalation; Short term systemic effects: 12.3 mg/m ³
	Workers - Inhalation; Long term local effects: 4.2 mg/m ³
	Workers - Inhalation; Short term local effects: 4.2 mg/m ³
	Workers - Dermal; Long term systemic effects: 2.3 mg/kg/day
	Workers - Dermal; Short term systemic effects: 7 mg/kg/day
	Workers - Dermal; Long term local effects: 0.013 mg/cm ²
	Workers - Dermal; Short term local effects: 0.013 mg/cm ²
	General population - Inhalation; Long term systemic effects: 1.2 mg/m ³
	General population - Inhalation; Short term systemic effects: 3.7 mg/m ³
	General population - Inhalation; Long term local effects: 1.3 mg/m ³
	General population - Inhalation; Short term local effects: 1.3 mg/m ³
	General population - Dermal; Long term systemic effects: 1.4 mg/kg/day
	General population - Dermal; Short term systemic effects: 4.2 mg/kg/day
	General population - Dermal; Long term local effects: 0.008 mg/cm ²
	General population - Dermal; Short term local effects: 0.008 mg/cm ²
	General population - Oral; Long term systemic effects: 0.35 mg/kg/day
General population - Oral; Short term systemic effects: 1.1 mg/kg/day	

750ml SUPER PROFESSIONAL DE-ICER A3

PNEC

- Fresh water; 0.01 mg/l
- marine water; 0.008 mg/l
- Intermittent release; 0.0025 mg/l
- STP; 0.43 mg/l
- Sediment (Freshwater); 0.041 mg/kg
- Sediment (Marinewater); 0.00328 mg/kg
- Soil; 0.5 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation.

Personal protection

Data provided here is not a risk/COSHH assessment. It relates to the product as supplied and should be used in developing a risk/COSHH assessment.

Eye/face protection

No specific eye protection required during normal use. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. During the manufacture and filling of this product eye protection is recommended refer to EN166.

Hand protection

For normal use solutions, gloves are not required. For users with sensitive skin, it is recommended that suitable protective gloves are worn. During Manufacture and Filling operations use of hand protection is recommended. Gloves with a breakthrough time of >60 minutes are recommended. Refer to standard EN374 for compatible materials.

Other skin and body protection

Wear appropriate clothing to prevent repeated or prolonged skin contact. Use appropriate skin cream to prevent drying of skin.

Hygiene measures

Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Use appropriate skin cream to prevent drying of skin.

Respiratory protection

No specific requirements are anticipated under normal conditions of use. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit.

Environmental exposure controls

Avoid releasing into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Blue.
Odour	Mild.
Odour threshold	Not determined.
pH	pH (concentrated solution): 7.9
Melting point	Not applicable.
Initial boiling point and range	Not applicable.
Flash point	Not determined. This product is not considered to be flammable.
Evaporation rate	Not applicable.
Evaporation factor	Not applicable.
Flammability (solid, gas)	Not flammable. This product does not sustain combustion.

750ml SUPER PROFESSIONAL DE-ICER A3

Upper/lower flammability or explosive limits	Not applicable. Product is not considered to be flammable nor explosive
Other flammability	Not applicable.
Vapour pressure	Not applicable.
Vapour density	Not applicable.
Relative density	1.039 @ @ 20°C
Bulk density	Not applicable for liquid.
Solubility(ies)	Soluble in water.
Partition coefficient	Not applicable. Not technically possible for a mixture.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	Not applicable.
Viscosity	Not applicable.
Explosive properties	There are no chemical groups present in the product that are associated with explosive properties.
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	Does not meet the criteria for classification as oxidising.
Comments	Information given is applicable to the product as supplied.

9.2. Other information

Other information Not relevant.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions No potentially hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid Avoid exposure to high temperatures or direct sunlight.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition products Thermal decomposition or combustion products may include the following substances: Carbon monoxide (CO). Carbon dioxide (CO₂).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

750ml SUPER PROFESSIONAL DE-ICER A3**Acute toxicity - oral**

ATE oral (mg/kg) 4,057.11

Acute toxicity - dermal

ATE dermal (mg/kg) 22,000.0

Acute toxicity - inhalation

ATE inhalation (vapours mg/l) 220.0

ATE inhalation (dusts/mists mg/l) 30.0

Skin corrosion/irritation

Skin corrosion/irritation Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard Not classified

General information

Prolonged and repeated contact with solvents over a long period may lead to permanent health problems.

Inhalation

Vapour may irritate respiratory system/lungs.

Ingestion

May cause discomfort if swallowed. Irritation. Central nervous system depression. Dizziness. Nausea, vomiting.

Skin contact

Skin irritation should not occur when used as recommended. Repeated exposure may cause skin dryness or cracking.

Eye contact

May cause temporary eye irritation.

Acute and chronic health hazards

Gas or vapour is harmful on prolonged exposure or in high concentrations. Only large quantities are likely to have adverse effects on human health.

Route of exposure

Ingestion Skin and/or eye contact

750ml SUPER PROFESSIONAL DE-ICER A3

Medical symptoms Nausea, vomiting. Central nervous system depression. Drowsiness, dizziness, disorientation, vertigo.

11.2 Information on other hazards

11.2.1. Endocrine disrupting properties This product is not classified as, nor contains substances classed as having endocrine disrupting characteristics at levels >0.1% by weight (according to Regulation (EU) 2018/605).

11.2.2 Other information None known

SECTION 12: Ecological information

Ecotoxicity There are no data on the ecotoxicity of this product. Not regarded as dangerous for the environment.

12.1. Toxicity

Toxicity Not considered toxic to fish.

12.2. Persistence and degradability

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in The Detergents Regulations (as amended).

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not applicable. Not technically possible for a mixture.

12.4. Mobility in soil

Mobility The product is water-soluble and may spread in water systems.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Endocrine disrupting properties

Endocrine disrupting properties This product is not classified as, nor contains substances classed as having endocrine disrupting characteristics at levels >0.1% by weight (according to Regulation (EU) 2018/605).

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information The generation of waste should be minimised or avoided wherever possible.

Disposal methods The packaging must be empty (drop-free when inverted). Wash with plenty of water. Waste packaging should be collected for reuse or recycling. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

750ml SUPER PROFESSIONAL DE-ICER A3

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

**Annex II of MARPOL 73/78
and the IBC Code**

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

The Product Safety and Metrology etc. (Amendment etc.) (EU Exit) Regulations 2019 (SI 2019 No. 696) (as amended).
The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 (SI 2020 No. 1577) (as amended).
The Detergents Regulations 2010 (SI 2010 No. 740) (as amended). The Detergents (Amendment) (EU Exit) Regulations 2019 (SI 2019 No. 612) (as amended). The Detergents (Safeguarding) (Amendment) (EU Exit) Regulations 2019 (SI 2019 No. 671) (as amended).
The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 (as amended).
The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended).
The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).

EU legislation

European Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (as amended)
European Regulation (EC) No 1907/2006 - Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended)
European Regulation (EC) No 648/2004 on detergents (as amended)
Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) 1907/2006.

Guidance

Workplace Exposure Limits EH40.
COSHH Essentials.
ECHA Guidance on the Application of the CLP Criteria.
ECHA Guidance on the compilation of safety data sheets.

15.2. Chemical safety assessment

A Chemical Safety Assessment is not required.

750ml SUPER PROFESSIONAL DE-ICER A3

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative.
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision. Note: Finished product SDS take their revision history from the parent bulk liquid SDS. The revision data will show that of the parent liquid. Review of SDS with no change of classification.
Revision date	22/03/2024
Revision	5
Supersedes date	07/12/2018
SDS number	20629
Hazard statements in full	H225 Highly flammable liquid and vapour. H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H319 Causes serious eye irritation. H331 Toxic if inhaled. H370 Causes damage to organs .

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.----- END OF SDS -----