



mirius™
A Coventry Group Company

SAFETY DATA SHEET PEARSON'S TRADE BLACK FLUID

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	PEARSON'S TRADE BLACK FLUID
Product number	800-296-0001 S1
Container size	5L, 1 litre
UFI	UFI: SQAP-Y9N2-NQ7Y-JP2V

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Detergent. Disinfectant.
Uses advised against	Not for Oral Consumption. Use only for intended applications.

1.3. Details of the supplier of the safety data sheet

Supplier	MIRIUS™ A Coventry Group Company Coventry Chemicals Limited, Woodhams Road, Siskin Drive, Coventry, England, CV3 4FX Coventry Chemicals (Ireland) Limited, 4th Floor 8-34 Percy Place, Dublin, D04 P5K3, Ireland. +44 (0)2476639739 www.mirus.com info@mirus.com
Contact person	For content of safety data sheet:, sds@mirus.com

1.4. Emergency telephone number

Emergency telephone	+44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human health and/or the environment)
National emergency telephone number	UK: In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 Ireland: National Poisons Information Centre Beaumont Hospital Tel: 01 809 2166 (8:00 a.m. to 10.00 p.m. 7 days a week) Tel: 01 809 2566 (health care professionals)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards	Not Classified
Health hazards	Skin Irrit. 2 - H315 Eye Dam. 1 - H318
Environmental hazards	Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411

2.2. Label elements

PEARSON'S TRADE BLACK FLUID

Hazard pictograms



Signal word

Danger

Hazard statements

EUH208 Contains ALPHA-METHYLCINNAMALDEHYDE. May produce an allergic reaction.
 H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H400 Very toxic to aquatic life.
 H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P102 Keep out of reach of children.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
 P273 Avoid release to the environment.
 P302+P352 IF ON SKIN: Wash with plenty of water.
 P332+P313 If skin irritation occurs: Get medical advice/ attention.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P312 Call a POISON CENTRE/doctor if you feel unwell.
 P391 Collect spillage.
 P501 Dispose of contents/ container in accordance with local regulations.

Contains

ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM CHLORIDE (ADBAC/BKC (C12-16)),
 TETRASODIUM ETHYLENE DIAMINE TETRAACETATE

Biocide Labelling

This product contains substances with biocidal properties., Read attached instructions before use., Contains active substance: Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-16)), 3.75 g/100g

Detergent labelling

< 5% disinfectants, < 5% EDTA and salts thereof, < 5% perfumes, < 5% phosphates,
 Contains ALPHA-METHYLCINNAMALDEHYDE

Supplementary precautionary statements

P264 Wash contaminated skin thoroughly after handling.
 P362+P364 Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB. The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >0.1% published by the European Chemicals Agency (ECHA) under article 57 of the REACH regulation (as amended). This product is not classified as, nor contains substances classed as having endocrine disrupting characteristics at levels >0.1% by weight (according to Regulation (EU) 2018/605).

SECTION 3: Composition/information on ingredients

3.2. Mixtures

PEARSON'S TRADE BLACK FLUID

ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM CHLORIDE (ADBAC/BKC (C12-16))	1-5%
CAS number: 68424-85-1 EC number: 270-325-2 M factor (Acute) = 10 M factor (Chronic) = 1	
Classification Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	
TETRASODIUM ETHYLENE DIAMINE TETRAACETATE	1-5%
CAS number: 64-02-8 EC number: 200-573-9	
Classification Acute Tox. 4 - H302 Acute Tox. 4 - H332 Eye Dam. 1 - H318 STOT RE 2 - H373	Classification (67/548/EEC or 1999/45/EC) Xn;R22 Xi;R41
ALPHA-METHYLCINNAMALDEHYDE	<1%
CAS number: 101-39-3 EC number: 202-938-8	
Classification Acute Tox. 4 - H302 Skin Sens. 1B - H317 Repr. 2 - H361d Aquatic Chronic 3 - H412	Classification (67/548/EEC or 1999/45/EC) R43.
TRISODIUM NITRILOTRIACETATE	<1%
CAS number: 5064-31-3 EC number: 225-768-6	
Classification Acute Tox. 4 - H302 Eye Irrit. 2 - H319 Carc. 2 - H351	Classification (67/548/EEC or 1999/45/EC) Carc. Cat. 3;R40 Xn;R22 Xi;R36

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Provide eyewash station.
Inhalation	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.

PEARSON'S TRADE BLACK FLUID

Skin contact Rinse immediately with plenty of water. Remove contaminated clothing. Get medical attention if irritation persists after washing.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if symptoms are severe or persist after washing. Show this Safety Data Sheet to the medical personnel.

4.2. Most important symptoms and effects, both acute and delayed

General information Provide eyewash station.

Inhalation Unlikely to be hazardous by inhalation because of the low vapour pressure of the product at ambient temperature.

Ingestion Unlikely exposure route without abuse. Symptoms will include, Sickness, possible Irritation of GI Tract. A soapy taste may be reported.

Skin contact Prolonged contact may cause redness, irritation and dry skin.

Eye contact The product is irritating to eyes and skin. Prolonged or repeated exposure may cause the following adverse effects: Irritation and redness, followed by blurred vision. Corneal damage. Risk of serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapours.

5.3. Advice for firefighters

Protective actions during firefighting Control run-off water by containing and keeping it out of sewers and watercourses.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8. Treat the spilled material according to the instructions in the clean-up section. Take care as floors and other surfaces may become slippery.

6.2. Environmental precautions

Environmental precautions Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.4. Reference to other sections

PEARSON'S TRADE BLACK FLUID

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Provide adequate ventilation. Avoid spilling. Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet. Avoid breathing vapour/spray. Do not mix with other household chemical products. Do not mix with acid.

Advice on general occupational hygiene Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Wash skin thoroughly after handling. Take off contaminated clothing and wash it before reuse. Use appropriate hand lotion to prevent defatting and cracking of skin.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store at room temperature. Keep out of the reach of children. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM CHLORIDE (ADBAC/BKC (C12-16)) (CAS: 68424-85-1)

DNEL	Workers - Dermal; Long term systemic effects: 5.7 mg/kg/day Workers - Inhalation; Long term systemic effects: 3.96 mg/m ³ General population - Oral; Long term systemic effects: 3.4 mg/kg/day General population - Dermal; Long term systemic effects: 3.4 mg/kg/day General population - Inhalation; Long term systemic effects: 1.64 mg/m ³
PNEC	- Fresh water; 0.001 mg/l Intermittent release, Fresh water; 0 mg/l marine water; 0.001 mg/l STP; 0.4 mg/l Sediment (Freshwater); 12.27 mg/kg Sediment (Marinewater); 13.09 mg/kg Soil; 7 mg/kg

TETRASODIUM ETHYLENE DIAMINE TETRAACETATE (CAS: 64-02-8)

DNEL	General population - Oral; Long term systemic effects: 25 mg/kg/day General population - Inhalation; Long term local effects: 0.6 mg/m ³ General population - Inhalation; Short term local effects: 1.2 mg/m ³ Workers - Inhalation; Long term local effects: 1.5 mg/m ³ Workers - Inhalation; Short term local effects: 3 mg/m ³
PNEC	- Fresh water; 2.2 mg/l - marine water; 0.22 mg/l - Intermittent release; 1.2 mg/l - STP; 43 mg/l - Soil; 0.72 mg/kg

8.2. Exposure controls

PEARSON'S TRADE BLACK FLUID

Protective equipment



Appropriate engineering controls

Provide adequate ventilation.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses. Personal protective equipment that provides appropriate eye and face protection should be worn.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Polyvinyl chloride (PVC). Rubber (natural, latex). Neoprene. Nitrile rubber. Polyethylene. To protect hands from chemicals, wear gloves that are proven to be impervious to the chemical and resist degradation. A break through time of >60 minutes is suggested. Gloves should be inspected regularly for damage.

Other skin and body protection

Wear appropriate clothing to prevent repeated or prolonged skin contact. Use appropriate hand lotion to prevent defatting and cracking of skin.

Hygiene measures

Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Use appropriate skin cream to prevent drying of skin.

Respiratory protection

Respiratory protection not required.

Environmental exposure controls

Avoid releasing into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Viscous liquid.
Colour	Dark brown.
Odour	Phenolic.
Odour threshold	Not applicable.
pH	pH (concentrated solution): 11.00
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	This product is not considered to be flammable.
Evaporation rate	Not applicable.
Evaporation factor	Not applicable.
Flammability (solid, gas)	Not flammable. This product does not sustain combustion.
Upper/lower flammability or explosive limits	The product is not flammable or explosive.
Other flammability	Not applicable.
Vapour pressure	Not applicable.

PEARSON'S TRADE BLACK FLUID

Vapour density	Not applicable.
Relative density	~ 1.010-1.040
Bulk density	Not applicable for liquid.
Solubility(ies)	Soluble in water.
Partition coefficient	Not applicable.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	Not applicable.
Viscosity	No information available.
Explosive properties	Not considered to be explosive.
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	Does not meet the criteria for classification as oxidising.
Comments	Information given is applicable to the product as supplied.

9.2. Other information

Other information Not relevant.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Under normal storage conditions this product is stable.

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Not applicable.

10.4. Conditions to avoid

Conditions to avoid Avoid exposure to high temperatures or direct sunlight.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition products No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects No information available.

Acute toxicity - oral

Notes (oral LD₅₀) Calculation method.

ATE oral (mg/kg) 9,471.89

PEARSON'S TRADE BLACK FLUID

Acute toxicity - dermal

Notes (dermal LD₅₀) Calculation method.

Acute toxicity - inhalation

ATE inhalation (vapours mg/l) 220.0

ATE inhalation (dusts/mists mg/l) 30.0

Skin corrosion/irritation

Skin corrosion/irritation Irritating to skin. Calculation method.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage. Calculation method.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard Not anticipated to present an aspiration hazard, based on chemical structure.

General information

This product has low toxicity.

Inhalation

Unlikely route of exposure, but in abuse use, vapours may irritate the throat and nose.

Ingestion

May cause irritation. Symptoms following overexposure may include the following: Stomach pain. Nausea, vomiting. Diarrhoea.

Skin contact

Skin irritation should not occur when used as recommended. Prolonged or repeated exposure may cause the following adverse effects: Irritation. Redness. Dryness and/or cracking. Mild dermatitis, allergic skin rash.

Eye contact

May cause serious eye damage. Severe irritation, burning, tearing and blurred vision. Corneal damage.

11.2 Information on other hazards

11.2.1. Endocrine disrupting properties

This product is not classified as, nor contains substances classed as having endocrine disrupting characteristics at levels >0.1% by weight (according to Regulation (EU) 2018/605).

11.2.2 Other information

None known

Toxicological information on ingredients.

PEARSON'S TRADE BLACK FLUID

ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM CHLORIDE (ADBAC/BKC (C12-16))

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 397.5

Species Rat

ATE oral (mg/kg) 397.5

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 3,412.5

Species Rabbit

ATE dermal (mg/kg) 3,412.5

Skin corrosion/irritation

Skin corrosion/irritation Corrosive to skin.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage.

Respiratory sensitisation

Respiratory sensitisation Not sensitising.

Skin sensitisation

Skin sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro This substance has no evidence of mutagenic properties.

Carcinogenicity

Carcinogenicity Not classified.

Reproductive toxicity

Reproductive toxicity - fertility Not classified.

Specific target organ toxicity - single exposure

STOT - single exposure Not classified. Swallowing concentrated chemical may cause severe internal injury.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard Not classified.

TETRASODIUM ETHYLENE DIAMINE TETRAACETATE

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 1,780.0

Species Rat

PEARSON'S TRADE BLACK FLUID

ATE oral (mg/kg)	1,780.0
<u>Acute toxicity - inhalation</u>	
Acute toxicity inhalation (LC₅₀ dust/mist mg/l)	4.14
Species	Rat
ATE inhalation (dusts/mists mg/l)	4.14
<u>Skin corrosion/irritation</u>	
Skin corrosion/irritation	Not irritating.
Animal data	Erythema/eschar score: No erythema (0). REACH dossier information.
<u>Serious eye damage/irritation</u>	
Serious eye damage/irritation	REACH dossier information. Causes eye irritation. Dose: 1.3, 24-72 hours, Rabbit
<u>Skin sensitisation</u>	
Skin sensitisation	REACH dossier information. Not sensitising.
<u>Germ cell mutagenicity</u>	
Genotoxicity - in vitro	Negative.
Genotoxicity - in vivo	Negative.
<u>Carcinogenicity</u>	
Carcinogenicity	There is no evidence that the product can cause cancer.
<u>Reproductive toxicity</u>	
Reproductive toxicity - fertility	REACH dossier information. This substance has no evidence of toxicity to reproduction.

SECTION 12: Ecological information

Ecotoxicity There are no data on the ecotoxicity of this product. Not regarded as dangerous for the environment.

12.1. Toxicity

Toxicity The product contains a substance which is harmful to aquatic organisms.

Ecological information on ingredients.

ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM CHLORIDE (ADBAC/BKC (C12-16))

<u>Acute aquatic toxicity</u>	
LE(C)₅₀	0.01 < L(E)C ₅₀ ≤ 0.1
M factor (Acute)	10
Acute toxicity - fish	LC ₅₀ , 96 hours: 0.515 mg/l, Lepomis macrochirus (Bluegill)
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: 0.016 mg/l, Daphnia magna
Acute toxicity - aquatic plants	LC ₅₀ , : 0.03 mg/l,

PEARSON'S TRADE BLACK FLUID

Chronic aquatic toxicity

NOEC	0.001 < NOEC ≤ 0.01
Degradability	Rapidly degradable
M factor (Chronic)	1
Chronic toxicity - fish early life stage	NOEC, : 0.32 mg/l,
Chronic toxicity - aquatic invertebrates	NOEC, : 0.025 mg/l, Daphnia magna NOEC, : 0.009 mg/l, Freshwater algae

TETRASODIUM ETHYLENE DIAMINE TETRAACETATE

Acute aquatic toxicity

Acute toxicity - fish	LC ₅₀ , (very soft water 34-62mg/l) 96 hours: 41 mg/l, Lepomis macrochirus (Bluegill) LC ₅₀ , (medium hard water 136-204mg/l) 96 hours: 159 mg/l, Lepomis macrochirus (Bluegill) LC ₅₀ , (very hard water 473-598mg/l) 96 hours: 532 mg/l, Lepomis macrochirus (Bluegill)
------------------------------	--

Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: 140 mg/l, Daphnia magna
---	--

Chronic aquatic toxicity

Chronic toxicity - fish early life stage	NOEC, 35 days: 25.7 mg/l, Brachydanio rerio (Zebra Fish)
Chronic toxicity - aquatic invertebrates	NOEC, 21 days: 25 mg/l, Daphnia magna

12.2. Persistence and degradability

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in The Detergents Regulations (as amended).

Ecological information on ingredients.

ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM CHLORIDE (ADBAC/BKC (C12-16))

Phototransformation	REACH dossier information. Air - Half-life : 0.25 days
Stability (hydrolysis)	REACH dossier information. - Half-life : 1 year @ 20°C
Biodegradation	- 63-95%: 28 days

TETRASODIUM ETHYLENE DIAMINE TETRAACETATE

Biodegradation	REACH dossier information. Water and sediment - Degradation 55%: 20 days
-----------------------	---

12.3. Bioaccumulative potential

Bioaccumulative potential	No data available on bioaccumulation.
Partition coefficient	Not applicable.

Ecological information on ingredients.

PEARSON'S TRADE BLACK FLUID

ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM CHLORIDE (ADBAC/BKC (C12-16))

Bioaccumulative potential Low potential for bioaccumulation.

Partition coefficient log Kow: 2.75

TETRASODIUM ETHYLENE DIAMINE TETRAACETATE

Bioaccumulative potential BCF: ~ 1.8, Lepomis macrochirus (Bluegill)

12.4. Mobility in soil

Mobility The product is water-soluble and may spread in water systems.

Ecological information on ingredients.

ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM CHLORIDE (ADBAC/BKC (C12-16))

Henry's law constant 0 Pa m³/mol @ 20°C

TETRASODIUM ETHYLENE DIAMINE TETRAACETATE

Henry's law constant REACH dossier information. 1.19E-18 Pa m³/mol @ 25°C

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Endocrine disrupting properties

Endocrine disrupting properties This product is not classified as, nor contains substances classed as having endocrine disrupting characteristics at levels >0.1% by weight (according to Regulation (EU) 2018/605).

Ecological information on ingredients.

ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM CHLORIDE (ADBAC/BKC (C12-16))

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current UK criteria.

TETRASODIUM ETHYLENE DIAMINE TETRAACETATE

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current UK criteria.

12.6. Other adverse effects

Other adverse effects None known.

Ecological information on ingredients.

TETRASODIUM ETHYLENE DIAMINE TETRAACETATE

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Do not discharge into drains or watercourses or onto the ground.

PEARSON'S TRADE BLACK FLUID

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Normal use solutions are expected to be flushed to sewers. Reuse or recycle products wherever possible.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID)	3082
UN No. (IMDG)	3082
UN No. (ICAO)	3082
UN No. (ADN)	3082


14.2. UN proper shipping name

Proper shipping name (ADR/RID)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM CHLORIDE (ADBAC/BKC (C12-16)))
Proper shipping name (IMDG)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM CHLORIDE (ADBAC/BKC (C12-16)))
Proper shipping name (ICAO)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM CHLORIDE (ADBAC/BKC (C12-16)))
Proper shipping name (ADN)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM CHLORIDE (ADBAC/BKC (C12-16)))

14.3. Transport hazard class(es)

ADR/RID class	9
ADR/RID classification code	M6
ADR/RID label	9
IMDG class	9
ICAO class/division	9
ADN class	9

Transport labels



14.4. Packing group

ADR/RID packing group	III
IMDG packing group	III
ICAO packing group	III
ADN packing group	III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



PEARSON'S TRADE BLACK FLUID

14.6. Special precautions for user

EmS	F-A, S-F
ADR transport category	3
Emergency Action Code	•3Z
Hazard Identification Number (ADR/RID)	90
Tunnel restriction code	(-)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	<p>The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 (SI 2020 No. 1577) (as amended).</p> <p>The Product Safety and Metrology etc. (Amendment etc.) (EU Exit) Regulations 2019 (SI 2019 No. 696) (as amended).</p> <p>The Hazardous Waste Regulations 2005.</p> <p>The Detergents Regulations 2010 (SI 2010 No. 740) (as amended). The Detergents (Amendment) (EU Exit) Regulations 2019 (SI 2019 No. 612) (as amended). The Detergents (Safeguarding) (Amendment) (EU Exit) Regulations 2019 (SI 2019 No. 671) (as amended).</p> <p>The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended).</p> <p>The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 (as amended).</p> <p>The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).</p> <p>The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].</p>
-----------------------------	--

EU legislation

European Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (as amended)

Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) 1907/2006. System of specific information relating to Dangerous Preparations. 2001/58/EC.

Waste Material Code 91/689/EEC

Guidance

Workplace Exposure Limits EH40.

COSHH Essentials.

ECHA Guidance on the Application of the CLP Criteria.

ECHA Guidance on the compilation of safety data sheets.

15.2. Chemical safety assessment

Currently we do not have information from our suppliers about this.

PEARSON'S TRADE BLACK FLUID

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	DNEL: Derived No Effect Level. PBT: Persistent, Bioaccumulative and Toxic substance. PNEC: Predicted No Effect Concentration. MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision. Revised classification. Revised formulation.
Revision date	16/02/2024
Revision	13
Supersedes date	02/02/2023
SDS number	21779
Hazard statements in full	H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H351 Suspected of causing cancer. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. EUH208 Contains ALPHA-METHYLCINNAMALDEHYDE. May produce an allergic reaction.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.
----- END OF SDS -----